NEUROPHARMACOLOGY

CONTENTS OF VOLUME 45

NUMBER 1

Mini-review **K.K. Dev, H. van der Putten, B. Sommer, G. Rovelli**	Part I: Parkin-associated proteins and Parkinson's disease	1
Mini-review **K.K. Dev, K. Hofele, S. Barbieri, V.L. Buchman, H. van der Putten**	Part II: α-synuclein and its molecular pathophysiological role in neurodegenerative disease	14
Mini-review **A. Pisani, P. Bonsi, D. Centonze, P. Gubellini, G. Bernardi, P. Calabresi**	Targeting striatal cholinergic interneurons in Parkinson's disease: Focus on metabotropic glutamate receptors	45
D. Belelli, A.-L. Muntoni, S.D. Merrywest, L.J. Gentet, A. Casula, H. Callachan, P. Madau, D.K. Gemmell, N.M. Hamilton, J.J. Lambert, K.T. Sillar, J.A. Peters	The in vitro and in vivo enantioselectivity of etomidate implicates the $GABA_A$ receptor in general anaesthesia	57
M. Hajós, S.E. Gartside, V. Varga, T. Sharp	In vivo inhibition of neuronal activity in the rat ventromedial prefrontal cortex by midbrain-raphe nuclei: role of $5\text{-}HT_{1A}$ receptors	72
P. Sánchez-Blázquez, M. Rodríguez-Díaz, A. López-Fando, M. Rodríguez-Muñoz, J. Garzón	The GBeta5 subunit that associates with the R7 subfamily of RGS proteins regulates mu-opioid effects	82
T. Minami, S. Matsumura, T. Mabuchi, T. Kobayashi, Y. Sugimoto, F. Ushikubi, A. Ichikawa, S. Narumiya, S. Ito	Functional evidence for interaction between prostaglandin EP3 and κ-opioid receptor pathways in tactile pain induced by human immunodeficiency virus type-1 (HIV-1) glycoprotein gp120	96
C. Achat-Mendes, K.L. Anderson, Y. Itzhak	Methylphenidate and MDMA adolescent exposure in mice: Long-lasting consequences on cocaine-induced reward and psychomotor stimulation in adulthood	106
T. Nakatsuka, H.-X. Chen, S.N. Roper, J.G. Gu	Cannabinoid receptor-1 activation suppresses inhibitory synaptic activity in human dentate gyrus	116
S. Miksys, C. Lerman, P.G. Shields, D.C. Mash, R.F. Tyndale	Smoking, alcoholism and genetic polymorphisms alter CYP2B6 levels in human brain	122
M. Ihara, K. Matsuda, M. Otake, M. Kuwamura, M. Shimomura, K. Komai, M. Akamatsu, V. Raymond, D.B. Sattelle	Diverse actions of neonicotinoids on chicken α7, α4β2 and *Drosophila*–chicken SADβ2 and ALSβ2 hybrid nicotinic acetylcholine receptors expressed in *Xenopus laevis* oocytes	133
K.S. Vasiljev, A. Uri, J.T. Laitinen	2-Alkylthio-substituted platelet $P2Y_{12}$ receptor antagonists reveal pharmacological identity between the rat brain G_i-linked ADP receptors and $P2Y_{12}$	145

NUMBER 2

G. Battaglia, C.L. Busceti, F. Pontarelli, F. Biagioni, F. Fornai, A. Paparelli, V. Bruno, S. Ruggieri, F. Nicoletti	Protective role of group-II metabotropic glutamate receptors against nigro-striatal degeneration induced by 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in mice	155
A. Mørk, M. Kreilgaard, C. Sánchez	The R-enantiomer of citalopram counteracts escitalopram-induced increase in extracellular 5-HT in the frontal cortex of freely moving rats	167
L. Leriche, J.-C. Schwartz, P. Sokoloff	The dopamine D_3 receptor mediates locomotor hyperactivity induced by NMDA receptor blockade	174
C. Pardini, F. Vaglini, S. Galimberti, G.U. Corsini	Dose-dependent induction of apoptosis by R-apomorphine in CHO-K1 cell line in culture	182
A. Seillier, E. Coutureau, N. Thiriet, K. Herbeaux, J. Zwiller, G. Di Scala, B. Will, M. Majchrzak	Bilateral lesions of the entorhinal cortex differentially modify haloperidol- and olanzapine-induced *c-fos* mRNA expression in the rat forebrain	190
M. Marcoli, L. Raiteri, A. Bonfanti, A. Monopoli, E. Ongini, M. Raiteri, G. Maura	Sensitivity to selective adenosine A_1 and A_{2A} receptor antagonists of the release of glutamate induced by ischemia in rat cerebrocortical slices	201
P.J. Scarpace, M. Matheny, S. Zolotukhin, N. Tümer, Y. Zhang	Leptin-induced leptin resistant rats exhibit enhanced responses to the melanocortin agonist MT II	211

NEUROPHARMACOLOGY

CONTENTS OF VOLUME 45

NUMBER 1

Mini-review **K.K. Dev, H. van der Putten, B. Sommer, G. Rovelli**	Part I: Parkin-associated proteins and Parkinson's disease	1
Mini-review **K.K. Dev, K. Hofele, S. Barbieri, V.L. Buchman, H. van der Putten**	Part II: α-synuclein and its molecular pathophysiological role in neurodegenerative disease	14
Mini-review **A. Pisani, P. Bonsi, D. Centonze, P. Gubellini, G. Bernardi, P. Calabresi**	Targeting striatal cholinergic interneurons in Parkinson's disease: Focus on metabotropic glutamate receptors	45
D. Belelli, A.-L. Muntoni, S.D. Merrywest, L.J. Gentet, A. Casula, H. Callachan, P. Madau, D.K. Gemmell, N.M. Hamilton, J.J. Lambert, K.T. Sillar, J.A. Peters	The in vitro and in vivo enantioselectivity of etomidate implicates the $GABA_A$ receptor in general anaesthesia	57
M. Hajós, S.E. Gartside, V. Varga, T. Sharp	In vivo inhibition of neuronal activity in the rat ventromedial prefrontal cortex by midbrain-raphe nuclei: role of $5\text{-}HT_{1A}$ receptors	72
P. Sánchez-Blázquez, M. Rodríguez-Díaz, A. López-Fando, M. Rodríguez-Muñoz, J. Garzón	The GBeta5 subunit that associates with the R7 subfamily of RGS proteins regulates mu-opioid effects	82
T. Minami, S. Matsumura, T. Mabuchi, T. Kobayashi, Y. Sugimoto, F. Ushikubi, A. Ichikawa, S. Narumiya, S. Ito	Functional evidence for interaction between prostaglandin EP3 and κ-opioid receptor pathways in tactile pain induced by human immunodeficiency virus type-1 (HIV-1) glycoprotein gp120	96
C. Achat-Mendes, K.L. Anderson, Y. Itzhak	Methylphenidate and MDMA adolescent exposure in mice: Long-lasting consequences on cocaine-induced reward and psychomotor stimulation in adulthood	106
T. Nakatsuka, H.-X. Chen, S.N. Roper, J.G. Gu	Cannabinoid receptor-1 activation suppresses inhibitory synaptic activity in human dentate gyrus	116
S. Miksys, C. Lerman, P.G. Shields, D.C. Mash, R.F. Tyndale	Smoking, alcoholism and genetic polymorphisms alter CYP2B6 levels in human brain	122
M. Ihara, K. Matsuda, M. Otake, M. Kuwamura, M. Shimomura, K. Komai, M. Akamatsu, V. Raymond, D.B. Sattelle	Diverse actions of neonicotinoids on chicken α7, α4β2 and *Drosophila*–chicken SADβ2 and ALSβ2 hybrid nicotinic acetylcholine receptors expressed in *Xenopus laevis* oocytes	133
K.S. Vasiljev, A. Uri, J.T. Laitinen	2-Alkylthio-substituted platelet $P2Y_{12}$ receptor antagonists reveal pharmacological identity between the rat brain G_i-linked ADP receptors and $P2Y_{12}$	145

NUMBER 2

G. Battaglia, C.L. Busceti, F. Pontarelli, F. Biagioni, F. Fornai, A. Paparelli, V. Bruno, S. Ruggieri, F. Nicoletti	Protective role of group-II metabotropic glutamate receptors against nigro-striatal degeneration induced by 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in mice	155
A. Mørk, M. Kreilgaard, C. Sánchez	The R-enantiomer of citalopram counteracts escitalopram-induced increase in extracellular 5-HT in the frontal cortex of freely moving rats	167
L. Leriche, J.-C. Schwartz, P. Sokoloff	The dopamine D_3 receptor mediates locomotor hyperactivity induced by NMDA receptor blockade	174
C. Pardini, F. Vaglini, S. Galimberti, G.U. Corsini	Dose-dependent induction of apoptosis by R-apomorphine in CHO-K1 cell line in culture	182
A. Seillier, E. Coutureau, N. Thiriet, K. Herbeaux, J. Zwiller, G. Di Scala, B. Will, M. Majchrzak	Bilateral lesions of the entorhinal cortex differentially modify haloperidol- and olanzapine-induced *c-fos* mRNA expression in the rat forebrain	190
M. Marcoli, L. Raiteri, A. Bonfanti, A. Monopoli, E. Ongini, M. Raiteri, G. Maura	Sensitivity to selective adenosine A_1 and A_{2A} receptor antagonists of the release of glutamate induced by ischemia in rat cerebrocortical slices	201
P.J. Scarpace, M. Matheny, S. Zolotukhin, N. Tümer, Y. Zhang	Leptin-induced leptin resistant rats exhibit enhanced responses to the melanocortin agonist MT II	211

L.J. Sim-Selley, L.J. Vogt, S.R. Childers, B.A. Vogt	Distribution of ORL-1 receptor binding and receptor-activated G-proteins in rat forebrain and their experimental localization in anterior cingulate cortex	220
N.M.J. Rupniak, E.J. Carlson, S. Shepheard, G. Bentley, A.R. Williams, A. Hill, C. Swain, S.G. Mills, J. Di Salvo, R. Kilburn, M.A. Cascieri, M.M. Kurtz, K.-L. Tsao, S.L. Gould, G.G. Chicchi	Comparison of the functional blockade of rat substance P (NK_1) receptors by GR205171, RP67580, SR140333 and NKP-608	231
R.A. Duffy, J.A. Hedrick, G. Randolph, C.A. Morgan, M.E. Cohen-Williams, G. Vassileva, J.E. Lachowicz, M. Laverty, M. Maguire, L.-S. Shan, E. Gustafson, G.B. Varty	Centrally administered hemokinin-1 (HK-1), a neurokinin NK1 receptor agonist, produces substance P-like behavioral effects in mice and gerbils	242
H. Okamoto, Y. Shino, K. Hashimoto, C. Kumakiri, E. Shimizu, H. Shirasawa, M. Iyo	Dynamic changes in AP-1 transcription factor DNA binding activity in rat brain following administration of antidepressant amitriptyline and brain-derived neurotrophic factor	251
L. Sterin-Borda, S. Ganzinelli, A. Berra, E. Borda	Novel insight into the mechanisms involved in the regulation of the m1 muscarinic receptor, iNOS and nNOS mRNA levels	260
L. Zhu, Z.L. Jiang, K. Krnjević, F.S. Wang, J.H. Ye	Genistein directly blocks glycine receptors of rat neurons freshly isolated from the ventral tegmental area	270
L. Liu, P.K. Gonzalez, C.F. Barrett, A.R. Rittenhouse	The calcium channel ligand FPL 64176 enhances L-type but inhibits N-type neuronal calcium currents	281

NUMBER 3

A. Hamon, A. Morel, B. Hue, M. Verleye, J.-M. Gillardin	The modulatory effects of the anxiolytic etifoxine on $GABA_A$ receptors are mediated by the β subunit	293
M. Sugimoto, I. Uchida, T. Mashimo, S. Yamazaki, K. Hatano, F. Ikeda, Y. Mochizuki, T. Terai, N. Matsuoka	Evidence for the involvement of $GABA_A$ receptor blockade in convulsions induced by cephalosporins	304
K.K. Borowicz, S.J. Czuczwar	Effects of etomidate, ketamine or propofol, and their combinations with conventional antiepileptic drugs on amygdala-kindled convulsions in rats	315
M.S. Cowen, K.-C. Schroff, P. Gass, R. Sprengel, R. Spanagel	Neurobehavioral effects of alcohol in AMPA receptor subunit (GluR1) deficient mice	325
Y. Chen, T.J.W. Sharples, K.G. Phillips, G. Benedetti, L.M. Broad, R. Zwart, E. Sher	The nicotinic $\alpha4\beta2$ receptor selective agonist, TC-2559, increases dopamine neuronal activity in the ventral tegmental area of rat midbrain slices	334
H. Kim, B.A. Flanagin, C. Qin, R.L. Macdonald, J.A. Stitzel	The mouse *Chrna4* A529T polymorphism alters the ratio of high to low affinity $\alpha4\beta2$ nAChRs	345
M.E. Gibbs, R.J. Summers	α_2-adrenoceptors in the basal ganglia have a role in memory consolidation and reinforcement	355
A. Haji, M. Okazaki, Y. Ohi, H. Yamazaki, R. Takeda	Biphasic effects of morphine on bulbar respiratory neuronal activities in decerebrate cats	368
J. Wang, R.V. Lloyd Faulconbridge, A. Fetoni, M.J. Guitton, R. Pujol, J.L. Puel	Local application of sodium thiosulfate prevents cisplatin-induced hearing loss in the guinea pig	380
M. Muramoto, T. Yamazaki, S. Nishimura, Y. Kita	Detailed in vitro pharmacological analysis of FK506-induced neuroprotection	394
D.M. Sokal, S.J.R. Elmes, D.A. Kendall, V. Chapman	Intraplantar injection of anandamide inhibits mechanically-evoked responses of spinal neurones via activation of CB_2 receptors in anaesthetised rats	404
E. Alfonso Romero-Sandoval, P. Del Soldato, J.F. Herrero	The effects of sham and full spinalization on the antinociceptive effects of NCX-701 (nitroparacetamol) in monoarthritic rats	412
L.M.T. Canzoniero, P. Manzerra, C.T. Sheline, D.W. Choi	Membrane-permeant chelators can attenuate Zn^{2+}-induced cortical neuronal death	420
P. N'Gouemo, M. Morad	Ethanol withdrawal seizure susceptibility is associated with upregulation of L- and P-type Ca^{2+} channel currents in rat inferior colliculus neurons	429

NUMBER 4

Mini-reviews

L.L. Voronin, E. Cherubini	"Presynaptic silence" may be golden	439
J.T.R. Isaac	Postsynaptic silent synapses: evidence and mechanisms	450
K.J. Crossley, I. Nitsos, D.W. Walker, A.J. Lawrence, P.M. Beart, J.J. Hirst	Steroid-sensitive $GABA_A$ receptors in the fetal sheep brain	461
A.-M. Linden, M. Bergeron, M. Baez, D.D. Schoepp	Systemic administration of the potent mGlu8 receptor agonist (S)-3,4-DCPG induces c-Fos in stress-related brain regions in wild-type, but not mGlu8 receptor knockout mice	473
K. Gołembiowska, J. Konieczny, S. Wolfarth, K. Ossowska	Neuroprotective action of MPEP, a selective mGluR5 antagonist, in methamphetamine-induced dopaminergic neurotoxicity is associated with a decrease in dopamine outflow and inhibition of hyperthermia in rats	484
R.E. Moo-Puc, J.L. Góngora-Alfaro, F.J. Alvarez-Cervera, J.C. Pineda, G. Arankowsky-Sandoval, F. Heredia-López	Caffeine and muscarinic antagonists act in synergy to inhibit haloperidol-induced catalepsy	493
M. Yigit, C. Keipert, K.H. Backus	Muscarinic acetylcholine receptors potentiate the GABAergic transmission in the developing rat inferior colliculus	504
Y. Fu, S.G. Matta, V.B. Kane, B.M. Sharp	Norepinephrine release in amygdala of rats during chronic nicotine self-administration: an in vivo microdialysis study	514
L. Dayan, J.P.M. Finberg	L-DOPA increases noradrenaline turnover in central and peripheral nervous systems	524
S. Demehri, H. Homayoun, H. Honar, K. Riazi, K. Vafaie, F. Roushanzamir, A.R. Dehpour	Agmatine exerts anticonvulsant effect in mice: modulation by α_2-adrenoceptors and nitric oxide	534
C.M. Cahill, A. Dray, T.J. Coderre	Intrathecal nerve growth factor restores opioid effectiveness in an animal model of neuropathic pain	543
B.G. Dias, S.B. Banerjee, R.S. Duman, V.A. Vaidya	Differential regulation of Brain Derived Neurotrophic Factor transcripts by antidepressant treatments in the adult rat brain	553

NUMBER 5

M.F. O'Neill, C. Heron-Maxwell, M.W. Conway, J.A. Monn, P. Ornstein	Group II metabotropic glutamate receptor antagonists LY341495 and LY366457 increase locomotor activity in mice	565
S.P. Hack, C.W. Vaughan, M.J. Christie	Modulation of GABA release during morphine withdrawal in midbrain neurons in vitro	575
P.J. Mallorga, J.B. Williams, M. Jacobson, R. Marques, A. Chaudhary, P.J. Conn, D.J. Pettibone, C. Sur	Pharmacology and expression analysis of glycine transporter GlyT1 with [^{3}H]-(N-[3-(4′-fluorophenyl)-3-(4′phenylphenoxy)propyl])sarcosine	585
D.P. Finn, M.D. Jhaveri, S.R.G. Beckett, C.H. Roe, D.A. Kendall, C.A. Marsden, V. Chapman	Effects of direct periaqueductal grey administration of a cannabinoid receptor agonist on nociceptive and aversive responses in rats	594
F.J.-P. Miao, P. Green, N. Benowitz, J.D. Levine	Vagal modulation of spinal nicotine-induced inhibition of the inflammatory response mediated by descending antinociceptive controls	605
Z.-L. Yang, Y.-J. Gao, G.-C. Wu, Y.-Q. Zhang	The rostral ventromedial medulla mediates the facilitatory effect of microinjected orphanin FQ in the periaqueductal gray on spinal nociceptive transmission in rats	612
L. Facci, D.A. Stevens, M. Pangallo, D. Franceschini, S.D. Skaper, P.J.L.M. Strijbos	Corticotropin-releasing factor (CRF) and related peptides confer neuroprotection via type 1 CRF receptors	623
N. Nakamichi, G. Chidlow, N.N. Osborne	Effects of intraocular injection of a low concentration of zinc on the rat retina	637
G.X. Ayala, R. Tapia	Expression of heat shock protein 70 induced by 4-aminopyridine through glutamate-mediated excitotoxic stress in rat hippocampus in vivo	649
M. Madeja, D.G. Margineanu, A. Gorji, E. Siep, P. Boerrigter, H. Klitgaard, E.-J. Speckmann	Reduction of voltage-operated potassium currents by levetiracetam: a novel antiepileptic mechanism of action?	661
E.G. Jorda, E. Verdaguer, A.M. Canudas, A. Jiménez, A. Bruna, C. Caelles, R. Bravo, E. Escubedo, D. Pubill, J. Camarasa, M. Pallàs, A. Camins	Neuroprotective action of flavopiridol, a cyclin-dependent kinase inhibitor, in colchicine-induced apoptosis	672
O. De Backer, P.G. Leclere, R.A. Lefebvre	Pharmacological characterization of pre- and postsynaptic prostanoid receptors in pig gastric fundus	684

E. Brailoiu, M.D. Miyamoto, N.J. Dun — Inositol derivatives modulate spontaneous transmitter release at the frog neuromuscular junction — 691

NUMBER 6

Post-Translational Modifications of Protein Structure and Synaptic Function

G.L. Snyder, S. Galdi, A.A. Fienberg, P. Allen, A.C. Nairn, P. Greengard — Regulation of AMPA receptor dephosphorylation by glutamate receptor agonists — 703

Y. Zhou, H. Fei, I.B. Levitan — An interaction domain in Slob necessary for its binding to the slowpoke calcium-dependent potassium channel — 714

L.V. Kalia, M.W. Salter — Interactions between Src family protein tyrosine kinases and PSD-95 — 720

G. Lavezzari, J. McCallum, R. Lee, K.W. Roche — Differential binding of the AP-2 adaptor complex and PSD-95 to the C-terminus of the NMDA receptor subunit NR2B regulates surface expression — 729

I.A. Lim, M.A. Merrill, Y. Chen, J.W. Hell — Disruption of the NMDA receptor–PSD-95 interaction in hippocampal neurons with no obvious physiological short-term effect — 738

D.B. Scott, T.A. Blanpied, M.D. Ehlers — Coordinated PKA and PKC phosphorylation suppresses RXR-mediated ER retention and regulates the surface delivery of NMDA receptors — 755

M.E. Grunwald, J.M. Kaplan — Mutations in the ligand-binding and pore domains control exit of glutamate receptors from the endoplasmic reticulum in *C. elegans* — 768

M.F. Matos, K. Mukherjee, X. Chen, J. Rizo, T.C. Südhof — Evidence for SNARE zippering during Ca^{2+}-triggered exocytosis in PC12 cells — 777

K. Farsad, V. Slepnev, G. Ochoa, L. Daniell, V. Hauke, P. De Camilli — A putative role for intramolecular regulatory mechanisms in the adaptor function of amphiphysin in endocytosis — 787

A.M. Aravanis, J.L. Pyle, N.C. Harata, R.W. Tsien — Imaging single synaptic vesicles undergoing repeated fusion events: kissing, running, and kissing again — 797

C. Cantí, A.C. Dolphin — $Ca_V\beta$ subunit-mediated up-regulation of $Ca_V2.2$ currents triggered by D2 dopamine receptor activation — 814

M.A. Wikström, P. Matthews, D. Roberts, G.L. Collingridge, Z.A. Bortolotto — Parallel kinase cascades are involved in the induction of LTP at hippocampal CA1 synapses — 828

N.L. Stricker, R.L. Huganir — The PDZ domains of mLin-10 regulate its trans-Golgi network targeting and the surface expression of AMPA receptors — 837

S. Dakoji, S. Tomita, S. Karimzadegan, R.A. Nicoll, D.S. Bredt — Interaction of transmembrane AMPA receptor regulatory proteins with multiple membrane associated guanylate kinases — 849

M.F.A. Finley, R.H. Scheller, D.V. Madison — SNAP-25 Ser187 does not mediate phorbol ester enhancement of hippocampal synaptic transmission — 857

S. Endo, T. Launey — ERKs regulate PKC-dependent synaptic depression and declustering of glutamate receptors in cerebellar Purkinje cells — 863

S.C. Harney, B.G. Frenguelli, J.J. Lambert — Phosphorylation influences neurosteroid modulation of synaptic $GABA_A$ receptors in rat CA1 and dentate gyrus neurones — 873

NUMBER 7

J.V. Selkirk, G.S. Naeve, A.C. Foster — Blockade of excitatory amino acid transporters in the rat hippocampus results in enhanced activation of group I and group III metabotropic glutamate receptors — 885

M. Maj, V. Bruno, Z. Dragic, R. Yamamoto, G. Battaglia, W. Inderbitzin, N. Stoehr, T. Stein, F. Gasparini, I. Vranesic, R. Kuhn, F. Nicoletti, P.J. Flor — (−)-PHCCC, a positive allosteric modulator of mGluR4: characterization, mechanism of action, and neuroprotection — 895

M.O. Cunningham, G.L. Woodhall, R.S.G. Jones — Valproate modifies spontaneous excitation and inhibition at cortical synapses in vitro — 907

R.J. Racine, M. Steingart, Y. Bureau, D.C. McIntyre — Differential sensitivity of genetically Fast vs. Slow kindling rats strains to GABAergic convulsive agents — 918

G. Fairchild, M.M. Leitch, C.D. Ingram — Acute and chronic effects of corticosterone on $5\text{-}HT_{1A}$ receptor-mediated autoinhibition in the rat dorsal raphe nucleus — 925

S. Koch, S.K. Hemrick-Luecke, L.K. Thompson, D.C. Evans, P.G. Threlkeld, D.L. Nelson, K.W. Perry, F.P. Bymaster	Comparison of effects of dual transporter inhibitors on monoamine transporters and extracellular levels in rats	935
D. Moison, P. De Deurwaerdère, A. Cagnotto, A. Marrazzo, O. Prezzavento, G. Ronsisvalle, T. Mennini, U. Spampinato	Intrastriatal administration of sigma ligands inhibits basal dopamine release in vivo	945
P. Samadi, L. Grégoire, P.J. Bédard	Opioid antagonists increase the dyskinetic response to dopaminergic agents in parkinsonian monkeys: interaction between dopamine and opioid systems	954
F. Gumilar, H.R. Arias, G. Spitzmaul, C. Bouzat	Molecular mechanisms of inhibition of nicotinic acetylcholine receptors by tricyclic antidepressants	964
M. El Yacoubi, C. Ledent, M. Parmentier, J. Costentin, J.-M. Vaugeois	Caffeine reduces hypnotic effects of alcohol through adenosine A_{2A} receptor blockade	977
Y.-S. Lau, E. Petroske, G.E. Meredith, J.Q. Wang	Elevated neuronal nitric oxide synthase expression in chronic haloperidol-treated rats	986
B.L. MacInnis, D.L. Senger, R.B. Campenot	Spatial requirements for TrkA kinase activity in the support of neuronal survival and axon growth in rat sympathetic neurons	995
H. Jiang, T. Xie, D.B. Ramsden, S.L. Ho	Human catechol-*O*-methyltransferase down-regulation by estradiol	1011
S. Horie, S. Yasuda, Y. Tsurumaki, A. Someya, T. Saito, Y. Okuma, Y. Nomura, T. Hirabayashi, T. Murayama	Contraction of isolated guinea-pig ileum by urotensin II via activation of ganglionic cholinergic neurons and acetylcholine release	1019

NUMBER 8

D. Pau, D. Belelli, H. Callachan, D.R. Peden, J.I. Dunlop, J.A. Peters, X. Guitart, B. Gutierrez, J.J. Lambert	$GABA_A$ receptor modulation by the novel intravenous general anaesthetic E-6375	1029
M.J. Regina, J.C. Winter, R.A. Rabin	Characterization of a novel effect of serotonin 5-HT_{1A} and 5-HT_{2A} receptors: increasing cGMP levels in rat frontal cortex	1041
Y. Ago, Y. Koyama, A. Baba, T. Matsuda	Regulation by 5-HT_{1A} receptors of the in vivo release of 5-HT and DA in mouse frontal cortex	1050
E. Lorenc-Koci, J. Wardas, G.D. Bartoszyk, S. Wolfarth	Contribution of the serotonin 5-HT_{1A} receptor agonism of 8-OH-DPAT and EMD 128130 to the regulation of haloperidol-induced muscle rigidity in rats	1057
D. Arcos, A. Sierra, A. Nuñez, G. Flores, J. Aceves, J.-A. Arias-Montaño	Noradrenaline increases the firing rate of a subpopulation of rat subthalamic neurones through the activation of α_1-adrenoceptors	1070
M.D. Monte, C. Petrucci, A. Vasilaki, D. Cervia, D. Grouselle, J. Epelbaum, H.-J. Kreienkamp, D. Richter, D. Hoyer, P. Bagnoli	Genetic deletion of somatostatin receptor 1 alters somatostatinergic transmission in the mouse retina	1080
R. Suzuki, S.P. Hunt, A.H. Dickenson	The coding of noxious mechanical and thermal stimuli of deep dorsal horn neurones is attenuated in NK1 knockout mice	1093
I.J. Lever, A.D. Grant, S. Pezet, N.P. Gerard, S.D. Brain, M. Malcangio	Basal and activity-induced release of substance P from primary afferent fibres in NK_1 receptor knockout mice: evidence for negative feedback	1101
R. Radhakrishnan, K.A. Sluka	Spinal muscarinic receptors are activated during low or high frequency TENS-induced antihyperalgesia in rats	1111
I. Glezer, C.D. Munhoz, E.M. Kawamoto, T. Marcourakis, M.C.W. Avellar, C. Scavone	MK-801 and 7-Ni attenuate the activation of brain NF-κB induced by LPS	1120
M.-S. Song, E.I. Posse de Chaves	Inhibition of rat sympathetic neuron apoptosis by ceramide. Role of $p75^{NTR}$ in ceramide generation	1130
C.D. Munhoz, I. Glezer, E.M. Kawamoto, A.P.N. Araújo, L.B. Lepscha, C.S. Planeta, R. DeLucia, C. Scavone	Changes in sodium, potassium-ATPase induced by repeated fencamfamine: the roles of cyclic AMP-dependent protein kinase and the nitric oxide–cyclic GMP pathway	1151
J.V. Selkirk, G.S. Naeve, A.C. Foster	Blockade of excitatory amino acid transporters in the rat hippocampus results in enhanced activation of group I and group III metabotropic glutamate receptors	885
	Volumes 44 and 45 Contents, Author and Subject Indices	I